



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/808,245	03/24/2004	Tacyoung Han	DP-310179	4199

7590 07/21/2006
SCOTT A. McBAIN
DELPHI TECHNOLOGIES, INC.
Legal Staff, Mail Code: 480-410-202
P.O. Box 5052
Troy, MI 48007-5052

EXAMINER

BAREFORD, KATHERINE A

ART UNIT	PAPER NUMBER
----------	--------------

1762

DATE MAILED: 07/21/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/808,245

Applicant(s)

HAN ET AL.

Examiner

Katherine A. Bareford

Art Unit

1762

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 06 June 2006.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-21 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-10 and 21 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Claims 11-20 are canceled

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☐ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____.
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____.

DETAILED ACTION

1. The amendment of June 6, 2006 has been received and entered.

With the amendment, claims 11-20 have been canceled and claims 1-10 and new claim 21 are pending for examination.

Election/Restrictions

2. Applicant's election of Group I, claims 1-10 and 21, in the reply filed on June 6, 2006 is acknowledged. Because applicant did not distinctly and specifically point out the supposed errors in the restriction requirement, the election has been treated as an election without traverse (MPEP § 818.03(a)).

3. The Examiner notes that non-elected claims 11-20 have been canceled.

Double Patenting

4. The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. A nonstatutory obviousness-type double patenting rejection is appropriate where the conflicting claims are not identical, but at least one examined application claim is not patentably distinct from the reference claim(s) because the examined application claim is either anticipated by, or would have been obvious over, the reference claim(s). See, e.g., *In re Berg*, 140 F.3d 1428, 46 USPQ2d 1226 (Fed. Cir. 1998); *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van*

Ornum, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) or 1.321(d) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent either is shown to be commonly owned with this application, or claims an invention made as a result of activities undertaken within the scope of a joint research agreement.

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

5. Claims 1-3, 5-6 and 8-10 are provisionally rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 1, 2, 6, 7 and 9-11 of copending Application No. 10/924,270. Although the conflicting claims are not identical, they are not patentably distinct from each other because 10/924,270 provides all the features required by the claims of the present application and more. For example, in claim 1 of 10/924,270 all of the same features as claim 1 of the present application are required and a further requirement as to the structure of the supersonic converging/diverging nozzle is made, and this structure is not prevented by the present claims. The difference of the chamber and increased resistance time and temperature would be inherent from using the described device. As to the injecting the particles parallel to a longitudinal axis of the gas/powder exchange chamber (claim 6 of the present application), it is the Examiner's position that this is well known in the art of kinetic spraying to be the conventional direction of injection.

This is a provisional obviousness-type double patenting rejection because the conflicting claims have not in fact been patented.

6. In the amendment of June 6, 2006, as to the outstanding provisional double patenting rejection, applicant notes that although a Terminal Disclaimer has not been submitted, applicant is prepared to submit such a Terminal Disclaimer in the future upon an indication of allowable subject matter. The Examiner has reviewed this statement, and the provisional double patenting rejection above is maintained as no Terminal Disclaimer or arguments against the rejection have been provided.

Claim Rejections - 35 USC § 112

7. The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

8. Claims 1-10 and 21 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention.

In claim 1, lines 9-10 it is now claimed that the powder/ gas conditioning chamber is "different from the gas/ powder exchange chamber". However, as shown in Figure 3, the "powder/ gas conditioning chamber" 80 simply extends from the shown "gas/ powder exchange chamber" 49. There is no clarification as to how chamber 80 is

"different" from chamber 49. As a result, it is new matter to claim that the chamber is "different".

In new claim 21 it is claimed that "the temperature of the particles is increased at least 150 degrees Kelvin as a result of the powder/gas conditioning chamber".

However, paragraph [0041] of the specification indicates that the temperature of the particles will increase approximately 150 to 250 degrees K compared to when the powder/gas conditioning chamber is not used. Thus, there is an upper limit on the temperature increase as provided in the specification which is not present in the claim, and the claim contains new matter.

The other dependent claims do not cure the defects of the claims from which they depend.

9. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

10. Claims 1-10 and 21 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Claim 1, lines 9-10, "into a powder/gas conditioning chamber different than the gas/powder exchange chamber" is unclear as to what is required for the chambers to be "different"? Do they have different diameters or materials or simply a different name?

It is not clear from a reading of the claim or the specification what the scope of the term "different" is in regard to the chambers.

Claim 1, lines 12-13, "increasing a residence time and the temperature of the particles as a result of the directing of the particles along the length of the powder/gas conditioning chamber" is unclear as to what is required as worded¹. By "increasing" does applicant mean that this is increased as compared to a spraying without the powder/gas conditioning chamber? By "residence time" does applicant mean time in the spray gun over all? If there was no powder/gas conditioning chamber there would be no residence time in the powder gas/conditioning chamber. Furthermore, it is unclear from the claim if the increasing of the temperature would include heating to a temperature above melting, which would go against the process of kinetic spraying as described in the preamble.

Claim 21, lines 1-3, "where the temperature of the particles is increased at least 150 degrees Kelvin as a result of the powder/gas conditioning chamber" is confusing as worded as whether the temperature increase is from the temperature of the particles before entry into the spray gun or from the temperature of the particles at exit from the "gas/powder exchange chamber".

The other dependent claims do not cure the defects of the claims from which they depend.

11. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

12. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

13. Claims 1-6, 8-10 and 21 are rejected under 35 U.S.C. 103(a) as being unpatentable over Van Steenkiste et al (US 6283386) in view of Kay et al (US 2001/0042508).

Van Steenkiste teaches a method of kinetic spray coating a substrate. Column 1, lines 10-15. Particles of a powder are provided. Figure 2 and column 3, lines 30-65. Van Steenkiste notes that kinetic spray coating is also known as cold gas dynamic spray coating. Column 1, lines 15-25. The particles are injected into a gas/powder exchange chamber (the mixing chamber 42) and entrained into a flow of main gas in this chamber. Figure 2 and column 3, lines 30-65. The main gas is at a temperature insufficient to heat

the particles to a temperature above a melting temperature of the particles. Column 3, lines 30-65 and column 2, lines 1-5. The particles entrained in the main gas in the gas/powder exchange chamber can be considered to be directed first into a gas/powder exchange chamber and then into a "different" gas/powder conditioning chamber that exits further down the length of the chamber, as the "mixing chamber 42" can be described as both chambers as no structural difference or wall between the exchange chamber and conditioning chamber is required as claimed. Figure 2 and column 3, lines 30-65. The passage of the particles through the "conditioning" part of the chamber increases a residence time in that named part of the chamber, since if it was not there, no residence time would be possible. Furthermore, the passage through the "conditioning" part of the chamber also increases the temperature of the particles since the particles are heated by the hot air in that part of the chamber. The particles entrained in the flow of gas from the "conditioning" chamber are directed into a converging diverging supersonic nozzle, thereby accelerating the particles to a velocity sufficient to result in adherence of the particles on a substrate positioned opposite the nozzle. Figures 1-2 and column 3, lines 55-65.

Claim 2: the particles can be a metal, alloy, polymers, ceramic or semiconductor. Column 1, lines 55-60 and column 4, lines 25-30.

Claim 3: the particle diameter can be 1-106 microns. Column 4, lines 10-30 and column 5, lines 25-55.

Claim 5: the main gas temperature can be 900 degrees F (approximately 482 degrees C) , for example. Column 4, lines 45-50.

Claim 6: the particles are injected parallel to a longitudinal axis of the gas/powder exchange chamber (mixing chamber). Figure 2.

Claim 9: the particles can be accelerated to about 1000 m/sec. Column 1, lines 65-68.

Claim 10: the substrate can be a metal alloy. Column 4, lines 35-40.

Van Steenkiste teaches all the features of these claims except (1) the length of the conditioning chamber (claims 1,8), (2) injection pressure (claim 4) and (3) the amount of temperature increase. Van Steenkiste does teach that it was believed that a threshold velocity should be reached in order for the particles to desirably adhere to the substrate, and that the velocity achievable is related to the air temperature. Column 4, line 60 through column 5, line 15. Van Steenkiste further reasoned that reducing the flow of unheated powder feeder air relative to the heated main air flow that accelerates the particles provides that the resulting temperature of the mixed air flow through the nozzle is then greater and provides higher air velocities to accelerate larger particles to the threshold velocity, resulting in better adhesion. Column 5, lines 1-20. As to the injection pressure, Van Steenkiste teaches that the air is fed using a high pressure powder feeder from an original air compressor capable of supplying air pressure up to 500 psi. column 3, lines 30-40. As to the amount of temperature increase, Van Steenkiste shows exposing the particles to air heated to 900 degrees F. Column 5, lines 25-45.

Kay teaches an apparatus and method of kinetic spray (cold gas dynamic spraying) coating a substrate. Paragraph [0001]. Particles of a powder, which can be a metal, alloy or polymer, are provided. Figures 1-2 and paragraphs [0001] and [0016]. The particles are injected into a gas/powder exchange chamber (the mixing chamber 15) and entrained into a flow of main gas in this chamber. Figure 2 and paragraph [0016]. The main gas is at a temperature insufficient to heat the particles to a temperature above a melting temperature of the particles. Paragraphs [0001] and [0016]. The particles entrained in the main gas in the gas/powder exchange chamber can be considered to be directed into a gas/powder conditioning chamber, as the "mixing chamber 15" can be described as both chambers as no structural difference or wall between the exchange chamber and conditioning chamber is required as claimed. Figure 2 and paragraph [0016]. The particles entrained in the flow of gas from the "conditioning" chamber are directed into a converging diverging supersonic nozzle, thereby accelerating the particles to a velocity sufficient to result in adherence of the particles on a substrate positioned opposite the nozzle. Figure 2 and paragraphs [0001] and [0016]. Kay teaches to control the length of extending portion 13 of the gas entrained powder through powder feed tube 7 into the mixing chamber 15 to fine tune performance characteristics of the system. Paragraphs [0016] and [0020]. Changing the point of entry of the powder from the tube would change the length of the "conditioning chamber" as the powder would travel a different length after being

"entrained". Kay also teaches that a high pressure gas stream is used to feed the gas into the system. Paragraph [0015] and figure 1.

It would have been obvious to one of ordinary skill in the art the time the invention was made to modify Van Steenkiste to perform routine experimentation to optimize the length of the mixing chamber (and thus, also the "conditioning chamber") as suggested by Kay in order to optimize the performance characteristics of the system, because Van Steenkiste provides that the air temperature is directly related to the air velocity reachable in the supersonic nozzle, and achieving higher air temperatures allows for achieving higher velocity in the nozzle and greater adhesion of particles, and Kay further indicates that controlling the entry point of the powder nozzle (changing the length of powder passage through the "mixing chamber") should be optimized to fine tune performance characteristics of the system. The longer the powder passes through the mixing chamber/conditioning chamber, the longer for the mixture of air (the unheated powder feed air and the heated main air) to become heated (as the unheated powder feed air is heated by the heated main air) to an equilibrium temperature and allow for maximum velocity, thus providing that the mixing chamber/conditioning chamber should be as long as possible to provide the optimum air temperature. While applicant provides benefits of using a conditioning chamber as claimed, these benefits would be suggested by the desire provided by the references to provide a long mixing chamber. It would further have been obvious to modify Van Steenkiste in view of Kay to perform routine experimentation to optimize the amount of

pressure that the injected particles are provided at above the pressure of the main gas because Van Steenkiste and Kay both teach to provide the injected particles using a high pressure feeder and it would be clear to one of ordinary skill in the art that the pressure of the feeder should be above the pressure of the main gas to prevent backflow into the feed tube but low enough to provide for optimum entraining, so one of ordinary skill in the art would optimize the pressure amount so as to prevent this backflow and still allow for desirable entraining of particles and main gas. As to the amount of increased temperature in the particles during exposure to heated air in the conditioning chamber, it would have been obvious to modify Van Steenkiste in view of Kay to perform routine experimentation to optimize the time that the particles are heated to so as to provide optimum velocity of the particles for optimum adhesion, and the time of heating would provide the amount of temperature increase.

14. Claim 7 is rejected under 35 U.S.C. 103(a) as being unpatentable over Van Steenkiste in view of Kay as applied to claims 1-6, 8-10 and 21 above, and further in view of Schwarz et al (US 5273957).

Van Steenkiste in view of Kay teach all the features of these claims except the angled entry of the particles.

However, Schwarz teaches that when spraying particles through a nozzle system onto a substrate, it is well known to also provide the particles at an angled entry prior to the spray nozzle. See figures 1-2 and column 4, lines 30-55.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Van Steenkiste in view of Kay to provide for angled entry of the particles as well as longitudinal entry as suggested by Schwarz with an expectation of providing a desired flow of particles, because Van Steenkiste in view of Kay wish to entrain particles into a flow of gas and Schwarz teaches that particles can also be entrained into a flow with an angled entry. While Schwarz goes on to melt the particles, the initial entraining remains the same whether the particles are melted or not.

15. Han et al (US 2006/0040048) is the publication of 10/924,270.

Response to Arguments

16. Applicant's arguments filed June 6, 2006 have been fully considered but they are not persuasive.

Applicant argues that claim 1 has been focused to make it further clear that the conditioning chamber is different from the exchange chamber and notes that inventive significance of using the conditioning chamber as shown by Figure 4 and paragraph [0041]. Applicant further argues that Van Steenkiste does not teach or disclose particle temperatures or an increase in particle temperature as a result of the existence and particular length of the conditioning chamber, rather the reference to elevated or increased temperatures in Van Steenkiste refers to the temperature of the main gas. Applicant further argues that in Kay, there is also no reference to the temperature of the

particles, let alone an increase in temperature due to a length of any chamber in the apparatus of Kay. In fact, according to applicant, in some of the sections relied upon by the Examiner relative to the fine tuning of performance characteristics of the system (paragraphs [0016] and [0020]), it is clear that Kay is only referring to the temperature of the process gas, not the temperature of the particles.

The Examiner has reviewed these arguments, however, the rejection is maintained. As discussed in the rejection above, Van Steenkiste indicates that air temperature that the particles are exposed to is directly related to the air velocity reachable in the supersonic nozzles, and that one problem with this air temperature is the addition of a flow of unheated air when the particles are provided (see column 5, lines 1-15). While Van Steenkiste does not teach to increase the particle temperature by providing a conditioning chamber or increasing the length of the conditioning chamber so that residence time is increased, the Examiner has cited Kay which indicates that the entry point of the powder feed tube 7 into mixing chamber 15 can be changed to fine tune performance characteristics of the system. The Examiner has provided that it would have been obvious to provide the longer length of flow through the chamber in Van Steenkiste by adjusting the particle entry point as suggested by Kay to fine tune performance characteristics, because the longer the powder passes through the mixing chamber/conditioning chamber, the longer for the mixture of air (the unheated powder feed air and the heated main air) to become heated (as the unheated powder feed air is heated by the heated main air) to an equilibrium temperature and allow for maximum

velocity, thus providing that the mixing chamber/conditioning chamber should be as long as possible to provide the optimum air temperature. In other words, the use of a long chamber is suggested in order to provide a high air temperature, which is explicitly desired by Van Steenkiste. The fact that applicant has recognized another advantage which would flow naturally from following the suggestion of the prior art cannot be the basis for patentability when the differences would otherwise be obvious. See *Ex parte Obiaya*, 227 USPQ 58, 60 (Bd. Pat. App. & Inter. 1985). In the present case, changing the point of entry of the powder would change the length of the “conditioning” chamber as the powder would travel a different length after being entrained (note the discussion in the rejection above, as to how the mixing chamber can be considered the exchanging chamber and the connected conditioning chamber). As the length that the particles flow increases, the particles would inherently have increased residence time and increased temperature as compared to a flow of less length due to the exposure of the particles to the heated air for a longer time. As to the specific length of the conditioning chamber, this would be provided by the routine experimentation to optimize the length of flow as discussed the rejection above. Applicant has provided no showing of unexpected benefits in regards to the particular length claimed, only that increased benefits would be provided, which would also be expected with the longer length for the reasons of equalizing air temperature.

Conclusion

17. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

18. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Katherine A. Bareford whose telephone number is (571) 272-1413. The examiner can normally be reached on M-F(6:00-3:30) with the First Friday Off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Timothy Meeks can be reached on (571) 272-1423. The fax phone numbers for the organization where this application or proceeding is assigned are (571) 273-8300 for regular communications and for After Final communications.

Other inquiries can be directed to the Tech Center 1700 telephone number at (571) 272-1700.

Furthermore, information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information

Art Unit: 1762

for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).


KATHERINE BAREFORD
PRIMARY EXAMINER